

1. Identification

Product Identifier Omni

Other means of identification

Product code SLS-3110

Recommended use Encapsulating carpet cleaner.

Recommended restrictions None.

Manufacturer/distributor/supplier/importer information

Company name Supplylink Solutions, LLC

Address P.O. Box 361

Owensville, OH 45160

Telephone (513) 752-5465

Emergency phone number PERS (800) 633-8253

24-hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards Not classified.

Health hazards Skin Irritant Category 3

Eye Irritant Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not listed.

Label elements



Signal word Warning.

Hazard statement Causes mild skin irritation.

Causes serious eye irritation.

Precautionary statement

Prevention Wash hands and exposed skin thoroughly after handling. Wear eye protection/face

protection.

Response If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical advice/attention.

Storage Disposal

Hazard(s) not otherwise

Supplemental information

None.

classified (HNOC)

None.

3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	%	
2-butoxyethanol	111-76-2	1-5	
Polymers	Proprietary	1-5	
Other components below reportable levels		90-100	

4. First-aid measures

Inhalation Move to fresh air if irritated.



Skin contact Rinse with water.

Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Eye contact

Get medical attention if irritation persists.

Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting. Ingestion

Most important

symptoms/effects, acute and

delayed

Dermatitis. Rash. May cause an allergic skin reaction.

Indication of immediate medical attention and special

treatment needed

Provide general support measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for

firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods **General fire hazards** Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Wear eye/face

protection.

Methods and materials for containment and cleaning up

Caution – spillages may be slippery.

Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent

entry into waterways, sewer, basements, or confined areas.

Small spills: Wipe up with absorbent material (e.g., cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

Environmental precautions

Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling Conditions for safe storage,

including any incompatibilities Avoid contact with eye. Avoid prolonged exposure. Observe good industrial hygiene practices.

Store in original tightly closed container. Do not store in extreme conditions.



8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value 2-butoxyethanol PEL 50 ppm

US ACGIH Threshold Limit Values

Components Type Value 2-butoxyethanol **STEL** 20 ppm

Biological limit values

ACGIH Biological Exposure Indices

Components **Determinant Species Sampling Time** 2-butoxyethanol 200 mg/g Creatinine Urine End of shift.

Appropriate engineering

Emergency eye wash stations and showers should be readily accessible.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes.

Skin protection

Hand protection None. Other None.

Respiratory protection Respiratory protection not required.

Thermal hazards

General hygiene When using do not smoke or use chewing tobacco. Always observe good personal hygiene considerations

measures, such as washing after handling the material and before eating, drinking, and/or

smoking.

9. Physical and chemical properties

Appearance

Physical State Liquid. Color Colorless Odor Pleasant. Odor threshold Not available.

6-7

Melting/freezing point Not available. Initial boiling point and >212°F (100°C)

boiling range

Flash point >385°F (196°C) **Evaporation rate** Not available. Flammability Not available.

Flammability Limits

Not available. Upper Not available. Lower Not available. Vapor pressure Vapor density Not available.

Specific gravity (water=1) 1.04 Solubility in water Soluble.



Partition coefficient Not available.

(n-octanol/water)

Not available.

Auto-ignition temperature

Decomposition temperature Decomposes on heating.

Viscosity Not available.

10. Stability and reactivity

Reactivity This product is stable and non-reactive under normal conditions of use.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames can cause product to decompose.

Incompatible materials None.

Hazardous decomposition

products

Carbon dioxide, carbon monoxide.

11. Toxicological information

Information on likely routes

of exposure

Ingestion Expected to be a low ingestion hazard. Inhalation Expected to be a low inhalation hazard. Skin contact Prolonged skin contact causes irritation.

Eye contact Repeated and/or prolonged eye contact causes eye irritation.

Symptoms related to the physical, chemical, and toxicological characteristics Dermatitis. Rash. May cause an allergic skin reaction.

Acute toxicity Not established.

Product Omni (CAS mixture)		
Exposure Classification	Route and Species	LD50 /LC50
Acute	Oral, rat	>5,000 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation Causes mild skin irritation. Serious eye damage/ Causes serious eye irritation.

irritation

Respiratory sensitization Not classified. Skin sensitization Not classified. Germ cell mutagenicity Not classified.

Not considered a carcinogen. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Not classified. Reproductive toxicity Specific target organ toxicity Not classified.

- single exposure

Specific target organ toxicity Not classified.

- repeated exposure

Aspiration hazard Not considered an aspiration hazard.



12. Ecological information

Ecotoxicity			
Product Omni (CAS mixtu	ıre)		
Aquatic Receptor	Species	Test Thresh0lds	
Crustacea	Daphnia magna (water flea)	EC ₅₀ (48-hr): 33,500 mg/L (estimated)	
Fish	Fathead minnow	LC ₅₀ (96-hr): 32,000 mg/L (estimated)	
*Estimates for product may be based on additional component data not shown			

Persistence and degradability Not available.

Bioaccumulative potential Potential to bioaccumulate is low.

Mobility in soilNot available.Other adverse effectsNot available.

13. Disposal considerations

Disposal instructions Dispose of in accordance with local regulations.

Local disposal regulations None

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See:

Disposal instructions).

Contaminated packaging Empty containers should be rinsed with water and recycled.

14. Transport information

DOT

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard - No

Reactivity Hazard - No

SARA 313 (TRI reporting)

2-butoxyethanol (Glycol Ether Category)

California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to

threshold determination and Safe Harbor notification (12/2023)



16. Other information, including date of preparation or last revision

 Issue date
 3/16/2015

 Revision date
 10/25/2024

Version # 2

HMIS® ratings Health: 1 Flammability: 0

Physical hazard: 0



NFPA ratings Health: 1

Flammability: 0
Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text. General format update: Refine composition table, amend physical data; Update toxicology thresholds and environmental fate information; Text clarification amendments Sections 5,6,8,9 and 12. PPE recommendation updated; California Proposition 65 notice; HMIS and NFPA pictograms added. Add TSCA and FIFRA statements. Amended Section 6 environmental precautions language.

Revision information