Supplylink Solutions, LLC clean | disinfect | deodorize

SAFETY DATA SHEET

1. Identification

Product Identifier Revive

Other means of identification

Product code SLS-1240

Recommended use Heavy duty bowl cleaner
Recommended restrictions Professional use only.

Manufacturer/distributor/supplier/importer information
Company name Supplylink Solutions, LLC

Address P.O. Box 361

Owensville, OH 45160

Telephone (513) 752-5465

(313) 732 3 103

Emergency phone number PERS (800) 633-8253

24-hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazardsCorrosive to metals.Category 1Health hazardsSerious eye damage.Category 1Skin corrosion.Category 1B

None.

Environmental hazards Not classified.

OSHA defined hazards

Label elements

Signal word DANGER

Hazard statement May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary statement

Prevention Keep only in original container. Do not breathe dusts or mists. Wash skin thoroughly

after handling. Wear protective gloves/protective clothing/eye protection/face

protection.

Response Absorb spillage to prevent material damage.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable breathing. Immediately call a POISON CENTER/doctor/medical professional. Specific treatment; See section 4 on

the Safety Data Sheet).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if

present and easy to do. Continue rinsing.

StorageStore in corrosive-resistant container with a resistant inner lining. Store locked up.DisposalDispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

None.

Supplemental information



3. Composition/information on ingredients

Mixture Component(s)				
Chemical name	CAS number	%		
Phosphoric Acid	7664-38-2	10-15		
Other components below reportable levels		85-90		

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do

so. Immediately call a physician or transport to hospital.

Ingestion Rinse mouth. Get medical attention immediately. Do not induce vomiting.

Most important

symptoms/effects, acute and

delayed

Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of

breath, respiratory tract irritation or damage.

Indication of immediate medical attention and special treatment needed

Provide general support measures and treat symptomatically. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse. Use with extreme

caution.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread a liquid-sourced fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

Self-contained breathing apparatus and full protecting clothing must be worn in case of

and precautions for firefighters

Fire-fighting

fire.

Move containers from fire area if you can do so without risk. This product is not

Specific methods

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is fully miscible in water.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry



sand or earth and place into containers. Prevent entry into surface waterways, sewer, or confined areas. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination. Spilled material can be effectively neutralized with sodium bicarbonate or equivalent weak alkaline powder

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS.

Environmental precautions Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Provide adequate ventilation. Wear appropriate personal protective equipment.

Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see

section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value Phosphoric Acid PEL 1 mg/m³

US ACGIH Threshold Limit Values

Components Value Type Phosphoric Acid STEL 3 mg/m^3

Biological limit values No information.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Nitrile, neoprene and PVC are recommended

barrier materials

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is

recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene When using do not smoke or use chewing tobacco. Always observe good personal hygiene considerations measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

Supplylink Solutions, LLC clean | disinfect | deodorize

SAFETY DATA SHEET

9. Physical and chemical properties

Appearance

Physical State Viscous liquid.

Color Pink. Odor Cherry.

Odor threshold Not available.

рΗ 0-1

Melting/freezing point 14°F (-10°C) estimated.

>212°F (>100°C)

Initial boiling point and

boiling range

Flash point Not applicable. **Evaporation rate** Not available. **Flammability** Not available.

Flammability Limits

Upper Not available. Lower Not available. Vapor pressure Not available. Vapor density Not available.

Specific gravity (water=1) 1.08 Solubility in water Soluble. **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Viscosity Not available.

10. Stability and reactivity

Reactivity This product is stable and non-reactive under normal conditions of use. **Chemical stability** Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid storage in elevated temperatures.

Incompatible materials Bases, amines, ferrous and alkaline metals. DO NOT MIX WITH BLEACH. **Hazardous decomposition**

products

No hazardous decomposition products occur. In case of fire see section 5.

11. Toxicological information

Information on likely routes

of exposure

Ingestion Do not ingest. May be harmful if swallowed.

Inhalation Do not inhale. May cause damage to the upper respiratory tract.

Skin contact Can cause severe skin burns. Eye contact Can cause serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Burning sensation, coughing, wheezing, shortness of breath.



Acute toxicity May be harmful if swallowed.

Product	Revive (CAS mixture)			
		Route and Species	LD ₅₀	
Acu	te	Oral, rat	> 9,200 mg/kg (estimated)	
*Estimates for product may be based on additional component data not shown				

Skin corrosion/irritation Causes severe skin burns.
Serious eye damage/ Causes serious eye damage.

irritation

Respiratory sensitization Not considered a respiratory sensitizer.

Skin sensitization Not considered a skin sensitizer.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed.

Reproductive toxicity No data available.

Specific target organ toxicity

– single exposure

May cause damage to the upper respiratory tract with prolonged inhalation.

Specific target organ toxicity

- repeated exposure

No data available.

Aspiration hazard No data available.

12. Ecological information

Ecotoxicity				
Product Revive (CAS mixture)				
Aquatic	Species	LC ₅₀ EC ₅₀		
Fish	Fathead Minnow	392 mg/L (estimated)		
*Estimates for product may be based on additional component data not shown				

Persistence and No data available. Chemicals of this class are not expected to be persistent in an open

degradability

aerobic environment

Bio-accumulative potential Not data availab

ential Not data available Components are highly water-soluble and not expected to accumulate

in dynamic biological systems

Partition coefficient n-octanol/water (log Kow) Not available.

Mobility in soil No data available. Chemicals of these classes are expected to exhibit moderate to high

mobility in saturated and semi-saturated soils

Other adverse effects Low pH of this product indicates that it will be harmful to plants or wildlife in high

concentrations.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the

waste disposal company. As packaged, this product may meet criteria defining RCRA corrosive (D002) hazardous wastes when disposed. (40 CFR Part 261, Subpart C)



Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

(see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

14. Transport information

USDOT

UN number UN1760

UN proper shipping

name

Corrosive liquids, n.o.s. (Contains: Phosphoric Acid)

Not intended to be transported in bulk.

Transport hazard

class(es)

Class 8 Subsidiary risk **Packaging group** Ш Marine pollutant No

Special precautions for user

Read safety instructions, SDS, and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code

DOT



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed. SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 313 (TRI reporting)

California Safe Drinking Water and Toxic Enforcement Act of 1986



California This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and

Safe Harbor notification (1/2019)

16. Other information, including date of preparation or last revision

 Issue date
 1/15/2015

 Revision date
 3/18/2019

Version # 2

HMIS® ratings Health: 2

Flammability: 0 Physical hazard: 0



Acid

NFPA ratings Health: 2

Flammability: 0 Instability: 0



Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

by the text.

Revision information 3/18/2019 General format update, Prop 65 statement; Update toxicology, PPE and

environmental fate information; PPE notations; Composition chart update; Physical data update; miscellaneous text corrections; HMIS and NFPA pictograms inserted' Waste

characterization language